# *Contents*


Abbs J H → Gracco V L
Aceves J → Bargas J, et al.
Aceves J → Galarraga E, et al.
Albright T D → Rodman H R
Allan R W → Bermejo R, et al.

Bargas J, Galarraga E, Aceves J: An early outward conductance modulates the firing latency and frequency of neostriatal neurons of the rat brain 146
Bargas J → Galarraga E, et al.
Baylis G C → Hasselmo M E, et al.
Berchtold M W → Seto-Ohshima A, et al.
Berlucchi G → Kiefer W, et al.
Bermejo R, Allan R W, Houben D, Deich J D, Zeigler H P: Prehension in the pigeon. I. Descriptive analysis 569
Bermejo R, Zeigler H P: Prehension in the pigeon. II. Kinematic analysis 577
Bird M M: Retinal axons innervate the embryonic chick diencephalon in an in-vivo-like pattern in explant co-cultures 563
Björklund A → Brundin P, et al.
Bowen D M → Palmer A M, et al.
Brooks D P → Iitake K, et al.
Brundin P, Widner H, Nilsson O G, Strecker R E, Björklund A: Intracerebral xenografts of dopamine neurons: the role of immunosuppression and the blood-brain barrier 195
Buerki H → Mondadori C, et al.
Buhl E H, Singer W: The callosal projection in cat visual cortex as revealed by a combination of retrograde tracing and intracellular injection 470
Bygdeman M → Henschen A F, et al.

Calaitges J G → Wolpaw J R, et al.
Campbell D → Keshner E A, et al.
Canonaco M, O'Connor L H, Pfaff D W, McEwen B S: GABA $_{[A]}$ receptor level changes in female hamster forebrain following in vivo estrogen progesterone and benzodiazepine treatment: a quantitative autoradiography analysis 644
Cowey A, Stoerig P: Projection patterns of surviving neurons in the dorsal lateral geniculate nucleus following discrete lesions of striate cortex: implications for residual vision 631
Cowie R J → Holstege G
Crofton J T → Iitake K, et al.
Crutcher M D → Georgopoulos A P, et al.

Dahl D → Henschen A F, et al.
Deiber M P → Ibañez V, et al.
Deich J D → Bermejo R, et al.
Denier van der Gon J J → Jongen H A H, et al.
Dunnett S B, Rogers D C, Richards S-J: Nigrostriatal recontructrion after 6-OHDA lesions in rats: combination of dopamine-rich nigral grafts and nigrostriatal "bridge" grafts 523

Ebadi M → Paliwal V K
El-Beheiry H, Puil E: Postsynaptic depression induced by isoflurane and Althesin in neocortical neurons 361
Emson P C → Seto-Ohshima A, et al.
Enevoldson T P, Gordon G: Postsynaptic dorsal column neurons in the cat: a study with retrograde transport of horseradish peroxidase 611
Enevoldson T P, Gordon G: Spinocervical neurons and dorsal horn neurons projecting to the dorsal column nuclei through the dorsolateral fascicle: a retrograde HRP study in the cat 621

Fagg G E → Mondadori C, et al.
Favilla M, Hening W, Ghez C: Trajectory control in targeted force impulses. VI. Independent specification of response amplitude and direction 280
Ferguson J L → Mickley G A
Fibiger H C → Szostak C, et al.
Fischer T, Zippel H P: The effects of cryogenic blockade of the centrifugal, bulbopetal pathways on the dynamic and static response characteristics of goldfish olfactory bulb mitral cells 390
Frotscher M: Mossy fiber synapses on glutamate decarboxylase-immuno-reactive neurons: evidence for feed-forward inhibition in the CA3 region of the hippocampus 441
Frotscher M, Misgeld U: Characterization of input synapses on intracellularly stained neurons in hippocampal slices: an HRP/EM study 327

Galarraga E, Bargas J, Sierra A, Aceves J: The role of calcium in the repetitive firing of neostriatal neurons 157
Galarraga E → Bargas J, et al.

Georgopoulos A P, Crutcher M D, Schwartz A B: Cognitive spatial-motor processes. 3. Motor cortical prediction of movement direction during an instructed delay period 183
Ghez C → Favilla M, et al.
Giaschi D → Howard I P, et al.
Gielen C C A M → Jongen H A H, et al.
Gilmore S A → Sims T J
Gordon G → Enevoldson T P
Gracco V L, Abbs J H: Sensorimotor characteristics of speech motor sequences 586
Grant S, Keating M J: Changing patterns of binocular visual connections in the intertectal system during development of the frog, Xenopus laevis. I. Normal maturational changes in response to changing binocular geometry 99
Grant S, Keating M J: Changing patterns of binocular visual connections in the intertectal system during development of the frog, Xenopus laevis. II. Abnormalities following early visual deprivation 117
Grobstein P → Masino T
Grossman G E → Leigh R J, et al.

Hantraye P → Isacson O, et al.
Hasselmo M E, Rolls E T, Baylis G C, Nalwa V: Object-centered encoding by face-selective neurons in the cortex in the superior temporal sulcus of the monkey 417
Hayashi Y → Yajima Y
Heizmann C W → Seto-Ohshima A, et al.
Hening W → Favilla M, et al.
Henschen A F, Strömberg I, Bygdeman M, Dahl D, Hoffer B, Seiger Å, Olson I: Human fetal spinal cord xenografts survive in the eye of athymic nude rat hosts 317
Hoffer B → Henschen A F, et al.
Hökfelt T → Köhler C, et al.
Hökfelt T → Millhorn D E, et al.
Holstege G, Cowie R J: Projections from the rostral mesencephalic reticular formation to the spinal cord: an HRP and autoradiographical tracing study in the cat 265
Horner L H → Mize R R
Hosoya Y, Sugiura Y, Zhang F-Z, Ito R, Kohno K: Direct projection from the dorsal hypothalamic area to the nucleus raphe pallidus: a study using anterograde transport with Phaseolus vulgaris leucoagglutinin in the rat 40

Houben D → Bermejo R, et al.
Howard IP, Giaschi D, Murasugi CM: Suppression of OKN and VOR by afterimages and imaginary objects 139
Hutson PH → Palmer AM, et al.

Ibañez V, Deiber MP, Mauguière F: Interference of vibrations with input transmission in dorsal horn and cuneate nucleus in man: a study of somatosensory evoked potentials (SEPs) to electrical stimulation of median nerve and fingers 599
Iitake K, Share L, Brooks DP, Crofton JT, Ouchi Y: Role of brain acetylcholine in vasopressin release during osmotic stimulation and hermorrhage 47
Ingvar M: Seizure-induced damage in the substantia nigra pars reticulata: lesions in the frontal cortex prior to the seizure period mitigate the damage 369
Isacson O, Riche D, Hantraye P, Sofroniew MV, Maziere M: A primate model of Huntington's disease: cross-species implantation of striatal precursor cells to the excitotoxically lesioned baboon caudate-putamen 213
Isono H → Saito H, et al.
Ito R → Hosoya Y, et al.
Jakubovic A → Szostak C, et al.
Jongen HAH, Denier van der Gon JJ, Gielen CCAM: Inhomogeneous activation of motoneurone pools as revealed by co-contraction of antagonistic human arm muscles 555

Kalén P, Wiklund L: Projections from the medial septum and diagonal band of Broca to the dorsal and central superior raphe nuclei: a non-cholinergic pathway 401
Katz RT → Keshner EA, et al.
Keating MJ → Grant S
Kelso JAS → Tuller B
Keshner EA, Campbell D, Katz RT, Peterson BW: Neck muscle activation patterns in humans during isometric head stabilization 335
Kiefer W, Krüger K, Stauß G, Berlucchi G: Considerable deficits in the detection performance of the cat after lesion of the suprasylvian visual cortex 208
Köhler C, Persson A, Melander T, Theodorsson E, Sedvall G, Hökfelt T: Distribution of galanin-binding sites in the monkey and human telencephalon: preliminary observations 375
Kohno K → Hosoya Y, et al.
Krüger K → Kiefer W, et al.
Kubota K → Sawaguchi T, et al.
Kuypers HGJM → Verburgh CA, et al.

Lee CL → Wolpaw JR, et al.
Leigh RJ, Maas EF, Grossman GE, Robinson DA: Visual cancellation of the torsional vestibulo-ocular reflex in humans 221
Lowe SL → Palmer AM, et al.

Maas EF → Leigh RJ, et al.
Masino T, Grobstein P: The organization of descending tectofugal pathways underlying orienting in the frog, Rana pipiens. I. Lateralization, parcellation, and an intermediate spatial representation 227
Masino T, Grobstein P: The organization of descending tectofugal pathways underlying orienting in the frog, Rana pipiens. II. Evidence for the involvement of a tectotegmento-spinal pathway 245
Matsumura M → Sawaguchi T, et al.
Mauguière F → Ibañez V, et al.
Maziere M → Isacson O, et al.
McEwen BS → Canonaco M, et al.
Melander T → Köhler C, et al.
Mickley GA, Ferguson JL: Enhanced acoustic startle responding in rats with radiation-induced hippocampal granule cell hypoplasia 28
Mikami A → Saito H, et al.
Millhorn DE, Hökfelt T, Verhofstad AAJ, Terenius L: Individual cells in the raphe nuclei of the medulla oblongata in rat that contain immunoreactivities for both serotonin and enkephalin project to the spinal cord 536
Misgeld U → Frotscher M
Miu P, Puil E: Isoflurane-induced impairment of synaptic transmission in hippocampal neurons 354
Mize RR, Horner LH: Origin, distribution, and morphology of serotonergic afferents to the cat superior colliculus: a light and electron microscope immunocytochemistry study 83
Mondadori C, Weiskrantz L, Buerki H, Petschke F, Fagg GE: NMDA receptor antagonists can enhance or impair learning performance in animals 449
Montero VM: Ultrastructural identification of synaptic terminals from cortical axons and from collateral axons of geniculo-cortical relay cells in the perigeniculate nucleus of the cat 65
Montero VM: The GABA-immunoreactive neurons in the interlaminar regions of the cat lateral geniculate nucleus: light and electron microscopic observations 497
Murasugi CM → Howard IP, et al.

Nalwa V → Hasselmo ME, et al.
Nguyen VS, Straznicky C: The development and the topographic organization of the retinal ganglion cell layer in Bufo marinus 345
Nilsson OG → Brundin P, et al.

O'Connor LH → Canonaco M, et al.
Oehler R, Sharpe LT: Dark adaptation and increment theshold in rhesus monkey and man 664
Olausson B, Shyu BC, Rydenhag B: Projection from the thalamic intralaminar nuclei on the isocortex of the rat: a surface potential study 543
Olson I → Henschen AF, et al.
Ouchi Y → Iitake K, et al.

Padel Y → Relova JL
Paliwal VK, Ebadi M: Biochemical properties of metallothionein isoforms from bovine hippocampus 477
Palmer AM, Hutson, PH, Lowe SL, Bowen DM: Extracellular concentrations of aspartate and glutamate in rat neostriatum following chemical stimulation of frontal cortex 659
Payne JN, Peace JM: Fluorometric comparisons of the retrograde axonal transport of true blue and diamidino yellow from the rat caudate-putamen 169
Peace JM → Payne JN
Persson A → Köhler C, et al.
Peterson BW → Keshner EA, et al.
Petschke F → Mondadori C, et al.
Pfaff DW → Canonaco M, et al.
Phillips AG → Szostak C, et al.
Puil E → El-Beheiry H
Puil E → Miu P

Qvist H: Demonstration of axonal branching of fibers from certain precerebellar nuclei to the cerebellar cortex and nuclei: a retrograde fluorescent double-labelling study in the cat 15

Relova JL, Padel Y: Short latency somaesthetic responses in motor cortex, transmitted through the spino-thalamic system, in the cat 639
Richards S-J → Dunnett SB, et al.
Riche D → Isacson O, et al.
Robinson DA → Leigh RJ, et al.
Rodman HR, Albright TD: Single-unit analysis of pattern-motion selective properties in the middle temporal visual area (MT) 53
Rogers DC → Dunnett SB, et al.
Rolls ET → Hasselmo ME, et al.
Røste GK: Non-motoneurons in the facial and motor trigeminal nuclei projecting to the cerebellar flocculus in the cat: a fluorescent double-labelling and WGA-HRP study 295
Rydenhag B → Olausson B, et al.

Saito H, Tanaka K, Isono H, Yasuda M, Mikami A: Directionally selective response of cells in the middle temporal area (MT) of the macaque monkey to the movement of equiluminous opponent color stimuli 1
Salmon P → Stanford SC
Sawaguchi T, Matsumura M, Kubota K: Delayed response deficits produced by local injection of bicuculline into the dorsolateral prefrontal cortex in Japanese macaque monkeys 457
Schwartz AB → Georgopoulos AP, et al.
Sedvall G → Köhler C, et al.
Seiger Å → Henschen AF, et al.
Seto-Ohshima A, Emson PC, Berchtold MW, Heizmann CW: Localization of parvalbumin mRNA in rat brain by in situ hybridization histochemistry 653
Share L → Iitake K, et al.
Sharpe LT → Oehler R
Shyu BC → Olausson B, et al.
Sierra A → Galarraga E, et al.
Sims TJ, Gilmore SA: Interactions between Schwann cells and CNS axons following a delay in the normal formation of central myelin 513

Singer W → Buhl E H
Sofroniew M V → Isacson O, et al.
Sørensen T → Tønder N, et al.
Stanford S C, Salmon P: Neurochemical correlates of behavioural responses to frustrative nonreward in the rat: implications for the role of central noradrenergic neurones in behavioural adaptation to stress 133
Stauß G → Kiefer W, et al.
Stevens H P J D → Verburgh C A, et al.
Stoerig P → Cowey A
Straznicky C → Nguyen V S
Strecker R E → Brundin P, et al.
Strömberg I → Henschen A F, et al.
Sugiura Y → Hosoya Y, et al.
Szostak C, Jakubovic A, Phillips A G, Fibiger H C: Neurochemical correlates of conditioned circling within localized regions of the striatum 430
Tanaka K → Saito H, et al.
Terenius L → Millhorn D E, et al.
Theodorsson E → Köhler C, et al.
Tønder N, Sørensen T, Zimmer J: Enhanced host perforant path innervation of neonatal dentate tissue after grafting to axon sparing, ibotenic acid lesions in adult rats 483
Tuller B, Kelso J A S: Environmentally-specified patterns of movement coordination in normal and split-brain subjects 306
Verburgh C A, Kuypers H G J M, Voogd J, Stevens H P J D: Spinocerebellar neurons and propriospinal neurons in the cervical spinal cord: a fluorescent double-labeling study in the rat and the cat 73
Verhofstad A A J → Millhorn D E, et al.
Voogd J → Verburgh C A, et al.
Weiskrantz L → Mondadori C, et al.
Widner H → Brundin P, et al.
Wiklund L → Kalén P
Wolpaw J R, Lee C L, Calaitges J G: Operant conditioning of primate triceps surae H-reflex produces reflex asymmetry 35
Yajima Y, Hayashi Y: Response properties and tonotopical organization in the dorsal cochlear nucleus in rats 381
Yasuda M → Saito H, et al.
Zeigler H P → Bermejo R
Zeigler H P → Bermejo R, et al.
Zhang F-Z → Hosoya Y, et al.
Zimmer J → Tønder N, et al.
Zippel H P → Fischer T